

DESCRIPTION: SK-357 is a clear liquid acid cleaner. It is a foaming product and can be used in the removal of inorganic materials. **SK-357** should be diluted with water for use, always follow with a potable water rinse after use.

DO NOT MIX this product with chlorine or any type of alkaline detergent.

DANGER: Contains Phosphoric acid and Nitric acid. Causes serious burns to eyes and skin. Harmful if swallowed. Avoid contact with skin, eyes, or clothing. Do not take internally. Always wear protective clothing and eye protection. Do not breathe dust / fume / gas / mist / vapors / spray.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush skin or eyes with cool water for at least 15 minutes. If taken internally, drink large quantities of water, followed by milk of magnesia or white of an egg beaten in water. Call a physician. Remove/take off immediately all contaminated clothing and wash contaminated clothing before reuse. If inhaled, remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.

FOR INDUSTRIAL USE ONLY

CAUTION:

Keep out of reach of children. Avoid getting in eyes. In case of contact, flush thoroughly with water. If irritation occurs, see a doctor.

Si no puedes leer esta etiqueta o no entiendes como usar este producto. No lo uses, contacta a tu supervisor.

HEALTH	3
FLAMMABILITY	0
REACTIVITY	1
PERSONAL PROTECTION	C

SK-357

ALWAYS READ LABEL AND CONSULT SDS BEFORE USE.

USAGE RATES: For foaming use 1 gallon per 40 gallons of water. Spray cleaning use: 1 gallon per 100 gallons, for soak use 1 to 4 ounces per 5 gallons of warm water.

In food processing plants, always rinse with potable water after use.

Consult a StartKleen representative for exact usage and concentrations in your plant.

STARTKLEEN SOLUTIONS, LLC
193 Wall Street Rd., Gunter, TX 75058
(903) 207-1079

NET CONTENTS:
LOT NUMBER:

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage and disposal. Store in a locked cool, dry place no lower in temperature than 50 F or higher than 120 F. Do not reuse container. Triple rinse container and dispose in a sanitary landfill or by other procedures approved by state and local authorities.

24 Hour Emergency Phone Number:
Infotrac: 800-535-5053

FREIGHT CLASSIFICATION:
Corrosive liquid solution, N.O.S.,
(Phosphoric Acid, Nitric Acid) 8,
UN1760, PG II

UN1760

