**DESCRIPTION: SK-388** is a liquid acid cleaner. It is a foaming product and can be used in the removal inorganic materials. **SK-388** should be diluted with water for use, always follow with a potable water rinse after use.

**<u>DO NOT MIX</u>** this product with chlorine or any type of alkaline detergent.

**DANGER:** Contains Phosphoric acid which, causes burns to eyes and skin. Harmful if swallowed. Avoid contact with skin, eyes, or clothing. Do not take internally. Always wear protective clothing and eye protection. Do not breathe dust/fume/gas/mist/vapors/spray

### STATEMENT OF PRACTICAL TREATMENT:

In case of contact, immediately flush skin or eyes with cool water for at least 15 minutes. Remove/Take off immediately all contaminated clothing, wash contaminated clothing before reuse. If taken internally, drink large quantities of water, followed by milk of magnesia or white of an egg beaten in water. Call a physician If inhaled, remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a poison center or doctor/physician.

# FOR INDUSTRIAL USE ONLY

# CAUTION:

Keep out of reach of children. Avoid getting in eyes. In case of contact, flush thoroughly with water. If irritation occurs, see a doctor.

Si no puedes leer esta etiqueta o no entiendes como usar este producto. No lo uses, contacta a tu supervisor.

# HEALTH 3 FLAMMABILITY 0 REACTIVITY 1 PERSONAL PROTECTION C

# **SK-388**

ALWAYS READ LABEL AND CONSULT SDS BEFORE USE.

**USAGE RATES:** For foaming use 1 gallon per 40 gallons of water. Spray cleaning use: 1 gallon per 100 gallons, for soak use 1 to 4 ounces per 5 gallons of warm water.

In food processing plants, always rinse with potable water after use.

Consult a StartKleen representative for exact usage and concentrations in your plant.

STARTKLEEN SOLUTIONS, LLC 193 Wall Street Rd., Gunter, TX 75058 (903) 207-1079

NET CONTENTS: LOT NUMBER:

## STORAGE AND DISPOSAL: Store in

a locked, cool dry area, temperature should be between 50 F and 115 F. Triple rinse container and dispose of by procedures approved by local authorities. Please consider recycling as an option.

24 Hour Emergency Phone Number: Infotrac: 800-535-5053

#### FREIGHT CLASSIFICATION:

Corrosive liquid solution, N.O.S., (Phosphoric Acid) 8, UN1760, PG II

**UN1760** 

